

Amendments to the Claims:

✓
This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

C1
Claim 1. (currently amended): A ~~composition~~ method for treating plants in a body of soil, comprising: contacting said plants in said body of soil with a composition comprising the product of a moderately water soluble first compound including a sulfamic moiety and a substantially water insoluble second compound including macronutrient and/or micronutrient moieties chemically reacted sufficient to provide substantially any predetermined combination of water solution-stable macronutrients and/or micronutrients of substantially any concentration and/or concentrations.

Claim 2. (currently amended): The ~~composition~~ method of claim 1, further comprising: wherein said composition further comprises: a plant promoting effective amount of solution-stable Ca.sup.++ moieties; a plant promoting effective amount of solution-stable S.sup.6+ moieties; a plant promoting effective amount of solution-stable Mg.sup.++ moieties; and, a plant promoting effective amount of solution-stable N.sup.3- moieties.

Claim 3. (currently amended): The ~~composition~~ method of claim 2, wherein said solution-stable moieties are a reaction product formed from the reaction of: a first reactant selected from the group consisting of Sulfamic acid, a water soluble Sulfamic

acid derivative, an oil soluble Sulfamic acid derivative that can be reacted to provide a water solution-stable Sulfamate, and combinations thereof; and, a second micronutrient and/or macronutrient moiety-including reactant selected from the group consisting of a carbonate, a hydroxide, a carbonate hydroxide, a hydroxide oxide, a metal, and combinations thereof.

Claim 4. (currently amended): The ~~composition~~ method of claim 2, wherein the solution-stable moieties are formed by reacting effective amounts of: at least one member selected from the group consisting of: a powdered micronutrient metal, a powdered macronutrient metal, Dolomite, Aragonite (Calcium Carbonate), Artinite (Hydrated Magnesium Carbonate Hydroxide), Aurichalcite (Zinc Copper Carbonate Hydroxide), Azurite (Copper Carbonate Hydroxide), Barringtonite (Hydrated Magnesium Carbonate), Baylissite (Hydrated Potassium Magnesium Carbonate), Brugnattellite (Hydrated Magnesium Iron Carbonate Hydroxide), Butschliite (Potassium Calcium Carbonate), Calcite (Calcium Carbonate), Gaspeite (Nickel Magnesium Iron Carbonate), Magnesite (Magnesium Carbonate), Rhodochrosite (Manganese Carbonate), Siderite (Iron Carbonate), Smithsonite (Zinc Carbonate), Ankerite (Calcium Iron Carbonate), Huntite (Calcium Magnesium Carbonate), Kutnohorite (Calcium Manganese Magnesium Iron Carbonate), Minrecordite (Calcium Zinc Carbonate), Norsethite (Barium Magnesium Carbonate), Fairchildite (Potassium Calcium Carbonate), Georgeite (Hydrated Copper Carbonate Hydroxide), Hellyerite (Hydrated Nickel Carbonate), Hydrozincite (Zinc Carbonate Hydroxide), Ikaite (Hydrated Calcium Carbonate), Kalicinite (Potassium Bicarbonate), Lansfordite (Hydrated Magnesium Carbonate), Loseyite (Manganese Zinc Carbonate Hydroxide), Malachite (Copper Carbonate Hydroxide), Monohydrocalcite

(Hydrated Calcium Carbonate), Nesquehonite (Hydrated Magnesium Bicarbonate Hydroxide), Pokrovskite (Hydrated Magnesium Carbonate Hydroxide), Pyroaurite (Hydrated Magnesium Iron Carbonate Hydroxide), Glaukospherite (Copper Nickel Carbonate Hydroxide), Mcguinnessite (Magnesium Copper Carbonate Hydroxide), Nullaginite (Nickel Carbonate Hydroxide), Rosasite (Copper Zinc Carbonate Hydroxide), Zincrosasite (Zinc Copper Carbonate Hydroxide), Sclarite (Zinc Magnesium Manganese Carbonate Hydroxide), Sergeevite (Hydrated Calcium Magnesium Carbonate Bicarbonate Hydroxide), Sjogrenite (Hydrated Magnesium Iron Carbonate Hydroxide), Teschemacherite (Ammonia Bicarbonate), Vaterite (Calcium Carbonate), Zaratite (Hydrated Nickel Carbonate Hydroxide), Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Tetramethylammonium hydroxide, Tetraethylammonium hydroxide, Iron (III) oxyhydroxide, Iron (III) hydroxide (gamma), Iron (III) hydroxide (alpha), Potassium hydroxide, Nickel (II) hydroxide, Hexane-1,6-bis (tributylammonium) dihydroxide, Calcium hydroxide, Tetra-n-propylammonium hydroxide, Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Cobalt (II) hydroxide, Copper (II) carbonate dihydroxide, Copper (II) carbonate (basic), Copper (II) hydroxide, Ammonium hydroxide, Magnesium carbonate hydroxide, Methylboron dihydroxide, Magnesium hydroxide, Molybdenum hydroxide oxide phosphate Calcium phosphate hydroxide, Calcium phosphate tribasic, Calcium hydroxide, Zinc subcarbonate, Zinc carbonate (basic), Zinc carbonate hydroxide, Zinc hydroxide, Potassium bicarbonate, Potassium hydrogen carbonate, Potassium carbonate, Nickel (II) carbonate, Nickel (II) carbonate hydroxide, Nickel (II) carbonate (anhydrous), Nickel (II) carbonate (basic), Manganese (II) carbonate, Magnesium carbonate (basic), Magnesium carbonate hydroxide, Ammonium bicarbonate, Ammonium hydrogen carbonate, Ammonium

carbonate, Nickel (II) hydroxide, Calcium phosphate hydroxide, Calcium phosphate tribasic, limestone, Magnesite, lime, slaked lime, magnesium oxide, and/or any combination thereof; and, at least one sulfamic compound, selected from the group consisting of a compound of the formula (II): $\text{HSO}.\text{sub.3NR}.\text{sup.4R}.\text{sup.5}$ (II) wherein: $\text{R}.\text{sup.4}$ and $\text{R}.\text{sup.5}$ are independently selected from the group consisting of hydrogen and a monovalent hydrocarbyl group containing from 1 to about 10 carbon atoms; and at least one of $\text{R}.\text{sup.4}$ or $\text{R}.\text{sup.5}$ is hydrogen; a compound of the formula (III): $\text{R}.\text{sup.1}(\text{NR}.\text{sup.2R}.\text{sup.3}).\text{sub.n.nHSO}.\text{sub.3NR}.\text{sup.4R}.\text{sup.5}$ (III) wherein: $\text{R}.\text{sup.1}$ is selected from the group consisting of alkyl, hydroxyalkyl, cycloalkyl, and aryl, $\text{R}.\text{sup.2}$ is selected from the group consisting of hydrogen, alkyl, hydroxyalkyl, cycloalkyl and aryl; $\text{R}.\text{sup.3}$, $\text{R}.\text{sup.4}$ and $\text{R}.\text{sup.5}$ are hydrogen; and n is an integer from 1 to 3; and, combinations thereof.

Claim 5. (currently amended): The ~~composition~~ method according to claim1, wherein said composition further comprising comprises a plant promoting effective amount of water.

Claim 6. (cancelled)

Claim 7. (currently amended): A composition ~~for restoring the concentration of a least one essential micronutrient or macronutrient to desirable levels in a body of soil,~~ comprising:
the product of a moderately water soluble first compound including a sulfamic moiety and a substantially water insoluble second compound including macronutrient and/or micronutrient moieties that have been chemically reacted in respective proportions

sufficient to provide substantially any combination of water solution-stable macronutrients and/or micronutrients of substantially any predetermined concentration and/or predetermined concentrations.

Claim 8. (original): The composition of claim 7, further comprising: a plant promoting effective amount of solution stable Ca^{++} moieties; a plant promoting effective amount of solution stable S^{6+} moieties; a plant promoting effective amount of solution stable Mg^{++} moieties; and, a plant promoting effective amount of solution stable N^{3-} moieties.

C
Cone
Claim 9. (original): The composition of claim 8, wherein said solution stable moieties are a reaction product formed from the reaction of: a first reactant selected from the group consisting of Sulfamic acid, a water soluble Sulfamic acid derivative, an oil soluble Sulfamic acid derivative that can be reacted to provide a water solution stable Sulfamate, and combinations thereof; and a second micronutrient and/or macronutrient moiety-including reactant selected from the group consisting of a carbonate, a hydroxide, a carbonate hydroxide, a hydroxide oxide, a metal, and combinations thereof.

Claim 10. (original): The composition of claim 8 further comprising: a compensating amount of said micronutrient or macronutrient included in a solution stable compound formed by the reaction of effective amounts of: at least one member selected from the group consisting of: Dolomite, a powdered micronutrient metal, a powdered macronutrient metal, Aragonite (Calcium Carbonate), Artinite (Hydrated Magnesium Carbonate Hydroxide), Aurichalcite (Zinc Copper Carbonate Hydroxide), Azurite (Copper Carbonate Hydroxide), Barringtonite (Hydrated Magnesium Carbonate), Baylissite (Hydrated Potassium Magnesium Carbonate), Brugnattelite (Hydrated Magnesium Iron

Carbonate Hydroxide), Butschliite (Potassium Calcium Carbonate), Calcite (Calcium Carbonate), Gaspeite (Nickel Magnesium Iron Carbonate), Magnesite (Magnesium Carbonate), Rhodochrosite (Manganese Carbonate), Siderite (Iron Carbonate), Smithsonite (Zinc Carbonate), Ankerite (Calcium Iron Carbonate), Huntite (Calcium Magnesium Carbonate), Kutnohorite (Calcium Manganese Magnesium Iron Carbonate), Minrecordite (Calcium Zinc Carbonate), Norsethite (Barium Magnesium Carbonate), Fairchildite (Potassium Calcium Carbonate), Georgeite (Hydrated Copper Carbonate Hydroxide), Hellyerite (Hydrated Nickel Carbonate), Hydrozincite (Zinc Carbonate Hydroxide), Ikaite (Hydrated Calcium Carbonate), Kalicinite (Potassium Bicarbonate), Lansfordite (Hydrated Magnesium Carbonate), Loseyite (Manganese Zinc Carbonate Hydroxide), Malachite (Copper Carbonate Hydroxide), Monohydrocalcite (Hydrated Calcium Carbonate), Nesquehonite (Hydrated Magnesium Bicarbonate Hydroxide), Pokrovskite (Hydrated Magnesium Carbonate Hydroxide), Pyroaurite (Hydrated Magnesium Iron Carbonate Hydroxide), Glaukospherite (Copper Nickel Carbonate Hydroxide), Mcguinnessite (Magnesium Copper Carbonate Hydroxide), Nullaginite (Nickel Carbonate Hydroxide), Rosasite (Copper Zinc Carbonate Hydroxide), Zincrosasite (Zinc Copper Carbonate Hydroxide), Sclarite (Zinc Magnesium Manganese Carbonate Hydroxide), Sergeevite (Hydrated Calcium Magnesium Carbonate Bicarbonate Hydroxide), Sjogrenite (Hydrated Magnesium Iron Carbonate Hydroxide), Teschemacherite (Ammonia Bicarbonate), Vaterite (Calcium Carbonate), Zaratite (Hydrated Nickel Carbonate Hydroxide), Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Tetramethylammonium hydroxide, Tetraethylammonium hydroxide, Iron (III) oxyhydroxide, Iron (III) hydroxide (gamma), Iron (III) hydroxide (alpha), Potassium hydroxide, Nickel (II) hydroxide, Hexane-1,6-bis(tributylammonium)

CI
com

dihydroxide, Calcium hydroxide, Tetra-n-propylammonium hydroxide, Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Cobalt (II) hydroxide, Copper (II) carbonate dihydroxide, Copper (II) carbonate (basic), Copper (II) hydroxide, Ammonium hydroxide, Magnesium carbonate hydroxide, Methylboron dihydroxide, Magnesium hydroxide, Molybdenum hydroxide oxide phosphate Calcium phosphate hydroxide, Calcium phosphate tribasic, Calcium hydroxide, Zinc subcarbonate, Zinc carbonate (basic), Zinc carbonate hydroxide, Zinc hydroxide, Potassium bicarbonate, Potassium hydrogen carbonate, Potassium carbonate, Nickel (II) carbonate, Nickel (II) carbonate hydroxide, Nickel (II) carbonate (anhydrous), Nickel (II) carbonate (basic), Manganese (II) carbonate, Magnesium carbonate (basic), Magnesium carbonate hydroxide, Ammonium bicarbonate, Ammonium hydrogen carbonate, Ammonium carbonate, Nickel (II) hydroxide, Calcium phosphate hydroxide, Calcium phosphate tribasic, limestone, Magnesite, lime, slaked lime, magnesium oxide, and/or any combination thereof; and, at least one sulfamic compound selected from the group consisting of: a compound of the formula (II):



wherein: R^4 and R^5 are independently selected from the group consisting of hydrogen and a monovalent hydrocarbyl group containing from 1 to about 10 carbon atoms; and at least one of R^4 or R^5 is hydrogen; a compound of the formula (III):



wherein: R^1 is selected from the group consisting of alkyl, hydroxyalkyl, cycloalkyl, and aryl, R^2 is selected from the group consisting of hydrogen, alkyl, hydroxyalkyl, cycloalkyl and aryl; R^3 , R^4 and R^5 are hydrogen; and, n is an integer from 1 to 3; and, combinations thereof.

Claim 11. (original): The composition according to claim 7, wherein said reaction product is water-soluble.

Claim 12. (original): The composition according to claim 7, further comprising a plant promoting effective amount of water.

Claim 13. (cancelled)

Claim 14. (currently amended): A ~~composition~~ method for treating living cells, comprising: contacting said living cells with a composition comprising the product of a moderately water soluble first compound including a sulfamic moiety and a substantially water insoluble second compound including macronutrient and/or micronutrient moieties chemically reacted in respective proportions sufficient to provide substantially any combination of water solution-stable macronutrients and/or micronutrients of substantially any predetermined concentration and/or predetermined concentrations.

Claim 15. (currently amended): The ~~composition~~ method of claim 14, wherein said composition further comprising comprises: a cell-promoting effective amount of solution-stable Ca.sup.++ moieties; a cell-promoting effective amount of solution-stable S.sup.6+ moieties; a cell-promoting effective amount of solution-stable Mg.sup.++ moieties; and, a cell-promoting effective amount of solution-stable N.sup.3- moieties.

Claim 16. (currently amended): The ~~composition~~ method of claim 14, wherein said solution-stable moieties are a reaction product formed from the reaction of: a first reactant selected from the group consisting of Sulfamic acid, a water soluble Sulfamic

acid derivative, an oil soluble Sulfamic acid derivative that can be reacted to provide a water solution-stable Sulfamate, and combinations thereof; and, a second micronutrient and/or macronutrient moiety-including reactant selected from the group consisting of a carbonate, a hydroxide, a carbonate hydroxide, a hydroxide oxide, a metal, and combinations thereof.

Claim 17. (currently amended): The ~~composition~~ method of claim 15, wherein the solution-stable moieties are formed by reacting effective amounts of: at least one member selected from the group consisting of: Dolomite, a powdered micronutrient metal, a powdered macronutrient metal, Aragonite (Calcium Carbonate), Artinite (Hydrated Magnesium Carbonate Hydroxide), Aurichalcite (Zinc Copper Carbonate Hydroxide), Azurite (Copper Carbonate Hydroxide), Barringtonite (Hydrated Magnesium Carbonate), Baylissite (Hydrated Potassium Magnesium Carbonate), Brugnattelite (Hydrated Magnesium Iron Carbonate Hydroxide), Butschliite (Potassium Calcium Carbonate), Calcite (Calcium Carbonate), Gaspeite (Nickel Magnesium Iron Carbonate), Magnesite (Magnesium Carbonate), Rhodochrosite (Manganese Carbonate), Siderite (Iron Carbonate), Smithsonite (Zinc Carbonate), Ankerite (Calcium Iron Carbonate), Huntite (Calcium Magnesium Carbonate), Kutnohorite (Calcium Manganese Magnesium Iron Carbonate), Minrecordite (Calcium Zinc Carbonate), Norsethite (Barium Magnesium Carbonate), Fairchildite (Potassium Calcium Carbonate), Georgeite (Hydrated Copper Carbonate Hydroxide), Hellyerite (Hydrated Nickel Carbonate), Hydrozincite (Zinc Carbonate Hydroxide), Ikaite (Hydrated Calcium Carbonate), Kalicinite (Potassium Bicarbonate), Lansfordite (Hydrated Magnesium Carbonate), Loseyite (Manganese Zinc Carbonate Hydroxide), Malachite (Copper Carbonate Hydroxide), Monohydrocalcite

(Hydrated Calcium Carbonate), Nesquehonite (Hydrated Magnesium Bicarbonate Hydroxide), Pokrovskite (Hydrated Magnesium Carbonate Hydroxide), Pyroaurite (Hydrated Magnesium Iron Carbonate Hydroxide), Glaukospherite (Copper Nickel Carbonate Hydroxide), Mcguinnessite (Magnesium Copper Carbonate Hydroxide), Nullaginite (Nickel Carbonate Hydroxide), Rosasite (Copper Zinc Carbonate Hydroxide), Zincrosasite (Zinc Copper Carbonate Hydroxide), Sclarite (Zinc Magnesium Manganese Carbonate Hydroxide), Sergeevite (Hydrated Calcium Magnesium Carbonate Bicarbonate Hydroxide), Sjogrenite (Hydrated Magnesium Iron Carbonate Hydroxide), Teschemacherite (Ammonia Bicarbonate), Vaterite (Calcium Carbonate), Zaratite (Hydrated Nickel Carbonate Hydroxide), Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Tetramethylammonium hydroxide, Tetraethylammonium hydroxide, Iron (III) oxyhydroxide, Iron (III) hydroxide (gamma), Iron (III) hydroxide (alpha), Potassium hydroxide, Nickel (II) hydroxide, Hexane-1,6-bis(tributylammonium) dihydroxide, Calcium hydroxide, Tetra-n-propylammonium hydroxide, Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Cobalt (II) hydroxide, Copper (II) carbonate dihydroxide, Copper (II) carbonate (basic), Copper (II) hydroxide, Ammonium hydroxide, Magnesium carbonate hydroxide, Methylboron dihydroxide, Magnesium hydroxide, Molybdenum hydroxide oxide phosphate Calcium phosphate hydroxide, Calcium phosphate tribasic, Calcium hydroxide, Zinc subcarbonate, Zinc carbonate (basic), Zinc carbonate hydroxide, Zinc hydroxide, Potassium bicarbonate, Potassium hydrogen carbonate, Potassium carbonate, Nickel (II) carbonate, Nickel (II) carbonate hydroxide, Nickel (II) carbonate (anhydrous), Nickel (II) carbonate (basic), Manganese (II) carbonate, Magnesium carbonate (basic), Magnesium carbonate hydroxide, Ammonium bicarbonate, Ammonium hydrogen carbonate, Ammonium

carbonate, Nickel (II) hydroxide, Calcium phosphate hydroxide, Calcium phosphate tribasic, limestone, Magnesite, lime, slaked lime, magnesium oxide, and/or any combination thereof; and, at least one sulfamic compound, selected from the group consisting of: a compound of the formula (II): $\text{HSO}.\text{sub.3NR}.\text{sup.4R}.\text{sup.5}$ (II) wherein: $\text{R}.\text{sup.4}$ and $\text{R}.\text{sup.5}$ are independently selected from the group consisting of hydrogen and a monovalent hydrocarbyl group containing from 1 to about 10 carbon atoms; and at least one of $\text{R}.\text{sup.4}$ or $\text{R}.\text{sup.5}$ is hydrogen; a compound of the formula (III): $\text{R}.\text{sup.1}(\text{NR}.\text{sup.2R}.\text{sup.3}).\text{sub.n.nHSO}.\text{sub.3NR}.\text{sup.4R}.\text{sup.5}$ (III) wherein: $\text{R}.\text{sup.1}$ is selected from the group consisting of alkyl, hydroxyalkyl, cycloalkyl, and aryl, $\text{R}.\text{sup.2}$ is selected from the group consisting of hydrogen, alkyl, hydroxyalkyl, cycloalkyl and aryl; $\text{R}.\text{sup.3}$, $\text{R}.\text{sup.4}$ and $\text{R}.\text{sup.5}$ are hydrogen; and n is an integer from 1 to 3; and, combinations thereof.

CI
cont
Claim 18. (currently amended): The ~~composition~~ method according to claim 14, wherein said composition further ~~comprising~~ comprises a cell-promoting effective amount of water.

Claim 19. (currently amended): The ~~composition~~ method according to claim 14, wherein said composition is encapsulated.

Claim 20. (currently amended): The ~~composition~~ method according to claim 14, wherein said cells are selected from the group consisting of living cells, animal cells, plant cells and combinations thereof.

Claim 21. (currently amended): A process for forming a composition, comprising: contacting chemically reacting a moderately water soluble first compound including a sulfamic moiety and a substantially water insoluble second compound including macronutrient and/or micronutrient moieties ~~reactants~~ at concentrations and under conditions sufficient to provide a ~~reaction~~ product of substantially any predetermined combination of water solution-stable macronutrients and/or micronutrients of substantially any concentration and/or concentrations.

Claim 22. (previously presented): The process of claim 21, wherein said product further comprising: a plant or cell promoting effective amount of solution stable Ca^{++} moieties; a plant or cell promoting effective amount of solution stable S^{6+} moieties; a plant or cell promoting effective amount of solution stable Mg^{++} moieties; and, a plant or cell promoting effective amount of solution stable N^{3-} moieties.

Claim 23. (previously presented): The process of claim 22, wherein said concentrations and/or said conditions further comprise an acidic environment.

Claim 24. (previously presented): The process of claim 22, wherein the solution stable moieties are formed by reacting effective amounts of: at least one member selected from the group consisting of: Dolomite, Aragonite (Calcium Carbonate), Artinite (Hydrated Magnesium Carbonate Hydroxide), Aurichalcite (Zinc Copper Carbonate Hydroxide), Azurite (Copper Carbonate Hydroxide), Barringtonite (Hydrated Magnesium Carbonate), Baylissite (Hydrated Potassium Magnesium Carbonate), Brugnattelite (Hydrated Magnesium Iron Carbonate Hydroxide), Butschliite (Potassium Calcium Carbonate), Calcite (Calcium Carbonate), Gaspeite (Nickel Magnesium Iron Carbonate),

Magnesite (Magnesium Carbonate), Rhodochrosite (Manganese Carbonate), Siderite (Iron Carbonate), Smithsonite (Zinc Carbonate), Ankerite (Calcium Iron Carbonate), Huntite (Calcium Magnesium Carbonate), Kutnohorite (Calcium Manganese Magnesium Iron Carbonate), Minrecordite (Calcium Zinc Carbonate), Norsethite (Barium Magnesium Carbonate), Fairchildite (Potassium Calcium Carbonate), Georgeite (Hydrated Copper Carbonate Hydroxide), Hellyerite (Hydrated Nickel Carbonate), Hydrozincite (Zinc Carbonate Hydroxide), Ikaite (Hydrated Calcium Carbonate), Kalicinite (Potassium Bicarbonate), Lansfordite (Hydrated Magnesium Carbonate), Loseyite (Manganese Zinc Carbonate Hydroxide), Malachite (Copper Carbonate Hydroxide), Monohydrocalcite (Hydrated Calcium Carbonate), Nesquehonite (Hydrated Magnesium Bicarbonate Hydroxide), Pokrovskite (Hydrated Magnesium Carbonate Hydroxide), Pyroaurite (Hydrated Magnesium Iron Carbonate Hydroxide), Glaukospherite (Copper Nickel Carbonate Hydroxide), Mcguinnessite (Magnesium Copper Carbonate Hydroxide), Nullaginite (Nickel Carbonate Hydroxide), Rosasite (Copper Zinc Carbonate Hydroxide), Zincrosasite (Zinc Copper Carbonate Hydroxide), Sclarite (Zinc Magnesium Manganese Carbonate Hydroxide), Sergeevite (Hydrated Calcium Magnesium Carbonate Bicarbonate Hydroxide), Sjogrenite (Hydrated Magnesium Iron Carbonate Hydroxide), Teschemacherite (Ammonia Bicarbonate), Vaterite (Calcium Carbonate), Zaratite (Hydrated Nickel Carbonate Hydroxide), Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Tetramethylammonium hydroxide, Tetraethylammonium hydroxide, Iron (III) oxyhydroxide, Iron (III) hydroxide (gamma), Iron (III) hydroxide, (alpha), Potassium hydroxide, Nickel (II) hydroxide, Hexane-1,6-bis (tributylammonium)dihydroxide, Calcium hydroxide, Tetra-n-propylammonium hydroxide, Tetra-n-butylphosphonium hydroxide, Tetra-n-butylammonium hydroxide, Cobalt (II)

hydroxide, Copper (II) carbonate dihydroxide, Copper (II) carbonate (basic), Copper (II) hydroxide, Ammonium hydroxide, Magnesium carbonate hydroxide, Methylboron dihydroxide, Magnesium hydroxide, Molybdenum hydroxide oxide phosphate Calcium phosphate hydroxide, Calcium phosphate tribasic, Calcium hydroxide, Zinc subcarbonate, Zinc carbonate (basic), Zinc carbonate hydroxide, Zinc hydroxide, Potassium bicarbonate, Potassium hydrogen carbonate, Potassium carbonate, Nickel (II) carbonate, Nickel (II) carbonate hydroxide, Nickel (II) carbonate (anhydrous), Nickel (II) carbonate (basic), Manganese (II) carbonate, Magnesium carbonate (basic), Magnesium carbonate hydroxide, Ammonium bicarbonate, Ammonium hydrogen carbonate, Ammonium carbonate, Nickel (II) hydroxide, Calcium phosphate hydroxide, Calcium phosphate tribasic, limestone, Magnesite, lime, slaked lime, magnesium oxide, and/or any combination thereof; and, at least one sulfamic compound, selected from the group consisting of: a compound of the formula (II):



wherein: R^4 and R^5 are independently selected from the group consisting of hydrogen and a monovalent hydrocarbyl group containing from 1 to about 10 carbon atoms; and at least one of R^4 or R^5 is hydrogen; a compound of the formula (III): $\text{R}^1(\text{NR}^2\text{R}^3)_n \cdot n\text{HOSO}_2\text{NR}^4\text{R}^5$ (III)

wherein: R^1 is selected from the group consisting of alkyl, hydroxyalkyl, cycloalkyl, and aryl, R^2 is selected from the group consisting of hydrogen, alkyl, hydroxyalkyl, cycloalkyl and aryl; R^3 , R^4 and R^5 are hydrogen; and n is an integer from 1 to 3; and, combinations thereof.

Claim 25. (previously presented): The process of claim 22, wherein said composition is water based, and said reaction product is water-soluble.

Claim 26. (previously presented): The process of claim 25, further comprising a plant or cell promoting effective amount of water.
